NRC's Level 3 PRA (Offsite Consequence Analysis) Status

Presentation for IAEA Consultants Meeting on Level 3 PRA May 26-30, 2014

Keith Compton

Division of Systems Analysis

Office of Nuclear Regulatory Research

(301-251-7483, Keith.Compton@nrc.gov)

Outline

- Documentation Development
- Technical Element Status
- Consequence Reporting Considerations

Documentation Format

- Development of standard format and content based on review of prior studies
- Uses MACCS input parameters, organized according to Technical Analysis Approach plan (TAAP) technical elements, to structure qualitative discussion
- Individual volumes for each scope piece (e.g., reactor, at-power, internal events and floods)
- Each volume based on scopepiece-specific updates to initial volume

CONTENTS

CC	DNIENTS.		2
1	Introduct	ion	1
2	Backgrou	ınd and General Information	2
_		S2 Conceptual Models	
	2.2 Gener	al Site Information	- 2
3		a	
3	3 1 Padio	nuclide Release Characterization for Level 3 (RE)	
		Technical Discussion	
	3.1.1	MACCS2 RE Input Parameter Summary	10
		Quality Assurance	
		rological Data (ME)	
		Technical Discussion	
		MACCS2 ME Input Parameter Summary	
		Quality Assurance	
		pheric Transport and Dispersion (ATD)	
	3.3.1	Technical Discussion	19
	3.3.2	MACCS2 ATD Input Parameter Summary	28
	3.3.3	Quality Assurance	31
	3.4 Protect	tive Action Parameters and Other Site Data (PA) and Economic Factors (EC).	32
	3.4.1	Technical Discussion	32
	3.4.2	MACCS2 PA/EC Input Parameter Summary	68
	3.4.3	Quality Assurance	72
		etry (DO)	
		Technical Discussion	
		MACCS2 DO Input Parameter Summary	
		Quality Assurance	
		Effects (HE)	
		Technical Discussion	
		MACCS2 HE Input Parameter Summary	
	3.6.3	Quality Assurance	88
4	Results		89
		Case	
		Summary Results for each source term/metric	
		Discussion	
		ivity Case 1: Results with Dose Truncation	
	4.2.1	Summary Results for each source term/metric	99
	4.2.2	Discussion	99
	4.3 Sensit	ivity Case 2: ???	99
	4.3.1	Summary Results for each source term/metric	99
	4.3.2	Discussion	99
	4.4 Quality	y Assurance	99
5	REFEREN	ICES	.100
6	APPENDI	X A: BASE CASE MACCS2 INPUT PARAMETER TABLE	.105

Input Parameter Documentation

Technical Discussion

- MACCS conceptual model description based on MACCS model description documents (NUREG/CR-4691 Vol 2 and NUREG/CR-6613 Vol 1)
- Discussion of technical bases for input parameters reflecting state of practice analysis
- Technical bases drawn from site specific information and best practice recommendations documented in draft NUREG/CR-7009
- Tabular summary of input parameters
 - References to applicable discussion section for traceability
- Quality assurance discussion
 - Based on high-level and supporting requirements from draft Level 3
 PRA standard
 - Include discussion of parameter and model uncertainties informed by SOARCA Peach Bottom Uncertainty Analysis

Technical Element Status

- Transition from the Radionuclide Release to Level 3 (RE)
 - MELMACCS development efforts for generation of composite sources for multisource releases
 - Coordination with Level 2 analyses for release category binning and representative source term development
- Meteorological Data (ME)
 - 1998-2002 meteorological data available from Vogtle early site permit (ESP) application
 - Extensive discussion of site meteorology from ESP environmental report and environmental impact statement
 - MACCS2 meteorological file to be reviewed by NRC staff meteorologists
- Atmospheric Transport and Dispersion (ATD)
 - Atmospheric modeling consistent with current best practice recommendations
 - Review of site-specific conditions to facilitate qualitative evaluation of model results

Technical Element Status (continued)

- Protective Action Parameters and Other Site Data (PA)
 - Based on work underway at Sandia National Laboratories (SNL)
 - Updated version of SECPOP available based on 2010 census data
 - Site demographic characteristics based on 2010 census data supplemented by information from site visits
 - Three standard evacuation models developed; detailed parameterization will be updated when source term data is available
 - Relocation, interdiction and decontamination models based on best practice default values
 - Leverage ongoing SNL work on updating decontamination plan data
- Economic Factors (EC)
 - Based on updated 2007 BEA and USDA databases in SECPOP and best practice default values for non-site-specific parameters

Technical Element Status (continued)

- Dosimetry (DO)
 - Dosimetry based on dose conversion factor files developed for SOARCA
 - Consistent with FGR-13 and recommendations by K. Eckermann
- Health Effects (HE)
 - Health effects models for acute and stochastic effects based on recommended best practices parameters
 - Acute early fatality parameters consistent with 1997 expert elicitation
 - Latent effects data consistent with BEIR V for consistency with dose conversion factor files
 - Latent health effects model to include dose-response models consistent with both linear no-threshold (LNT) and Health Physics Society (HPS) position statement

Consequence Reporting

- Reflects Quantification and Reporting (QT) and Risk Integration (RI) sections of TAAP
- Input parameter development based on consequence measures selected for reporting
- Consequence reporting considerations informed by review of
 - MACCS2 output capabilities
 - Consequence analysis applications
 - Past studies

MACCS Output Capabilities Output Measures

- Concentration of individual radionuclides in air (Bq/m³) and on ground surface (Bq/m²)
- Dosimetric measures for individuals and populations by organ and for whole body
- Dose contributions to population dose by dose pathway, accident phase, and for individual cohorts.
- Collective and individual health effects resulting from accumulated doses
- Extent of land area and population affected by radionuclide deposition and/or protective measures
- Costs associated with protective measures

MACCS2 Output Capabilities Output Format

- MACCS2 results computed on a radial spatial grid (e.g., 64 sectors x 26 radii = 1664 grid elements)
- Results computed for each weather trial

 (e.g., ~1000 weather trials to cover multiple meteorological bins defined by windspeed, stability class, and precipitation)
- Depending upon the selected measure, computational results can be:
 - Averaged over all weather trials or reported as a distribution across weather trials
 - Reported at a specified grid element
 - Integrated over a user defined radial region (e.g., 0-10 miles, 40-50 mile ring, etc.)
 - Normalized by the population in the user-defined region to yield an average individual risk in that region (e.g., latent cancer fatality risk within 10 miles)

Consequence Reporting Applications

- Risk-informed decisionmaking (RG 1.174)
- Regulatory Analysis (NUREG/BR-0058 and NUREG/BR-0184)
- Backfit Analysis (NUREG-1409)
- Environmental Reviews (NUREG-1555)
 - Section 7.2: Severe Accidents
 - Section 7.3: Severe Accident Mitigation
 Alternatives

Applications Summary of Output Measures

	Ind. Early Fatality Risk	Ind. Latent Fatality Risk	Collective Dose Risk	Offsite Property Damage Risk	Total Early Fatality Risk	Total Latent Fatality Risk	Land Contam. Risk
Risk-Informed Decisionmaking	Х	Х					
Backfit Analysis	Х	Х	X				
Regulatory Analysis	x	х	X	X			
Severe Accident Mitigation Alternatives			Х	Х			
Severe Accident Environmental Assessment	Х	Х	Х	Х	Х	Х	Х

Consequence Reporting Review of Past Studies

- CRAC/WASH-1400 (ca. 1975-1985)
 - WASH-1400 (Reactor Safety Study)
 - NUREG/CR-2239 (Siting Study)
 - NUREG/CR-2723 (Strip Report)
- MACCS/NUREG-1150 (ca. 1985-2000)
 - NUREG-1150 (Severe Accident Risks: An Assessment for Five U.S. Nuclear Power Plants)
 - NUREG/CR-4551 Volumes 3-7 (Plant-specific detailed reports supporting NUREG-1150)
 - NUREG-5305 (Integrated Risk Assessment for the LaSalle Unit 2 Nuclear Power Plant)
 - NUREG/CR-6349 (Cost-Benefit Considerations in Regulatory Analysis)
- MACCS2/SOARCA (ca. 2000 present)
 - NUREG-1935 (State of the Art Reactor Consequence Analysis)
 - NUREG/CR-7110 Volumes 1 and 2 (Plant-specific detailed reports supporting SOARCA)

Review of Past Studies Summary of Output Measures

	Dos	imetric		Health	Social/Economic			
Report	Organ Dose	Collective Dose	Early Fatalities	Early Injuries	Latent Fatalities	Latent Injuries	Land Contam.	Economic Cost
NUREG-75/014 (WASH-1400)	IND*		TOT IND	TOT IND	TOT IND	TOT IND	ТОТ	ТОТ
NUREG/CR-2239	IND		TOT IND	ТОТ	TOT IND	тот	ТОТ	
NUREG/CR-2723		тот	тот	ТОТ	тот			тот
NUREG-1150 NUREG/CR-4551 NUREG/CR-5305		тот	TOT IND		TOT IND			TOT**
NUREG/CR-6349		тот	тот		тот			ТОТ
NUREG-1935, NUREG/CR-7110			IND		IND			

TOT: Total health effects cases or cumulative amount; IND: Individual risk of health effect


^{*}Detailed organ dose results presented in explanatory sections in Appendix VI

^{**} Property damage results presented in supplemental tables in appendices to NUREG/CR-4551

Historically Reported Metrics NUREG-1150 Supporting Analyses

Table 4.3-1
Mean Consequence Results for Internal Initiators
(Population Doses in Sv)

Source Term	Early Fatal- ities	Total Lat. Cancer Fatalities	Pop. Dose Within 50 mi	Pop. Dose Entire Region	Individual Early Fat. Risk, 1 mi.	Individual Lat. Can. Fatality Fat. Risk 10 mi.	
SUR-01-1							å
SUR-01-2	9.35E-5		2.33E+3	5.73E+3	4.64E-6	6.52E-5	- 5
SUR-01-3	3.87E-2		1.24E+3	2.24E+3	1.31E-3	1.42E-4	
50K-01-5	3.07E-2	5.70571	1,24515	2,245	1.,515-5	1,426-4	ā
SUR-02-1	5.70E-4	2.43E+2	5.22E+3	1.46E+4	2.45E-5	8.38E-5	2
SUR-02-2	5.68E-1	7.67E+2	1.13E+4	4.42E+4	3.82E-3	1.48E-3	- 5
SUR-02-3	4.94E-2	2.72E+2	5.82E+3	1.61E+4	1.65E-3	2.28E-4	7
							6
SUR-03-1	1.16E-2	6.89E+2	1.15E+4	4.19E+4	1.60E-4	1.12E-4	
SUR-03-2	4.20E-1	1.59E+3	2.26E+4	9.60E+4	4.51E-3	1.54E-3	
SUR-03-3	1.57E-1	7.94E+2	1.13E+4	4.78E+4	4.37E-3	3.62E-4	
SUR-04-1	6.80E-4	1.04E+3	1.:04E+4	6.13E+4	2.59E-5	1.17E-4	
SUR-04-2	2.11E-4	9.37E+2	1.45E+4	5.55E+4	1.02E-5	2.86E-4	
SUR-04-3							
SUR-05-1	0.000.0						
SUR-05-2	2.86E+0		5.15E+4	1.92E+5	2.97E-2	3.99E-3	
SUR-05-3	1.83E+0	2.56E+3	2.62E+4	1.58E+5	1.60E-2	8.91E-4	
SUR-06-1							į
SUR-06-2	9.24E-2		2.42E+4	1.44E+5	2 162 2	7 479 4	
SUR-06-2	1.49E+0		2.42E+4 2.15E+4	1.44E+5 1.32E+5	2.16E-3 1.34E-2	7.47E-4 9.67E-4	- 1
30K-06-3	1.496+0	2.196+3	Z,15E+4	1.32E+3	1.34E-Z	9.6/E-4	
SUR-07-1	6.55E-2	2.38E+3	2.76E+4	1.42E+5	1.96E-4	1.13E-4	•
SUR-07-2	3.38E+0		3.43E+4	1.67E+5	3.73E-2	2.72E-3	
SUR-07-3	5.03E-1		1.46E+4	8.30E+4	8.97E-3	5.96E-4	
5011-07-5	3.034-1	1.40113	1.40214	0.30214	0.572-5	3,306-4	-
SUR-08-1	7.75E-3	2.20E+3	1.68E+4	1.31E+5	1.09E-4	1.32E-4	- 1
SUR-08-2	2.64E-2	2.27E+3	2.14E+4	1.34E+5	1.22E-3	3.72E-4	
SUR-08-3	2.35E-1	1.44E+3	1.61E+4	8.43E+4	5.57E-3	5.11E-4	
						- /	
SUR-09-1	3.08E-3		1.36E+4	9.83E+4	6.75E-5	1.21E-4	
SUR-09-2	1.97E-3	1.35E+3	1.74E+4	7.97E+4	6.00E-5	3.06E-4	
SUR-09-3							



Historically Reported Metrics NUREG/CR-6349

- <u>Cost Benefit Considerations</u> <u>in Regulatory Analysis</u>
- Tabulated values for
 - Early Fatalities
 - Latent Fatalities
 - Population dose
 - Offsite Economic Costs
- Tables for
 - each NUREG-1150 plant
 - 10, 50, 100, and 1000 miles

		Table 4-16	Surry Cons	equences to 1000	Miles						
Source	Me	an Ea		Latent	Popula	ation Of	Tsite				
Term	Fre			Table 4-15 Su	rry Cons	equences to 100	Miles				
SUR01-3	1.8	Source	Mean	Early	$\overline{}$	Latent	Population	Offsite	7		
SUR02-2	1.5	Term	Freque	1	- 1	m		C	1		
SUR02-3	2.6	50V .	(/yr			Table 4-14	Surry Consequ	uences to 50 Miles			
SUR03-2	1.9	SUR01-3	1.80E	Source	Mea	an Ear	elsi I	atent Por	ulation C	Offsite	
SUR03-3	7.3	SUR02-2	1.54E	Term	Frequ	in Lai		able 4-13 Surry (-	•	
SUR04-1	1.9	SUR02-3	2.65E		(/)						
SUR04-2	8.4	SUR03-2	1.95E	SUR01-3	1.80	Source	Mean	Early	Latent	Population	Offsite
SUR05-3	9.4	SUR03-3	7.30E	SUR02-2	1.54	Term	Frequency (/yr)	Fatalities	Fatalities	Dose (Per-rem)	Costs (\$)
SUR06-3	6.9	SUR04-1	1.96E	SUR02-3	2.65	SUR01-3	1.80E-07	6.41E-02	2.77E+01	4.97E+04	1.18E+07
SUR07-1	3.3	SUR04-2	8.40E	SUR03-2	1.95	SUR02-2	1.54E-08	2.21E-01	2.41E+02	2.99E+05	1.93E+08
SUR07-2	1.1	SUR05-3	9.43E	SUR03-3	7.30	SUR02-3	2.65E-07	7.73E-02	4.79E+01	1.00E+05	1.60E+08
SUR07-3	1.3	SUR06-3	6.94E	SUR04-1	1.96	SUR03-2	1.95E-08	2.41E-01	2.92E+02	4.29E+05	6.63E+08
SUR08-1	1.3	SUR07-1	3.30E	SUR04-2	8.40	SUR03-3	7.30E-07	2.29E-01	8.55E+01	1.97E+05	4.36E+08
SUR08-2	8.2	SUR07-2	1.13E	SUR05-3	9.43	SUR04-1	1.96E-07	8.44E-04	3.89E+01	9.08E+04	4.77E+08
SUR09-1	1.5	SUR07-3	1.34E	SUR06-3	6.94	SUR04-2	8.40E-08	1.40E-04	7.25E+01	1.72E+05	4.76E+08
SUR09-2	7.6	SUR08-1	1.37E	SUR07-1	3.30	SUR05-3	9.43E-08	2.66E+00	1.98E+02	5.01E+05	6.98E+08
SUR10-3	4.5	SUR08-2	8.29E	SUR07-2	1.13	SUR06-3	6.94E-08	1.89E+00	1.84E+02	4.26E+05	6.23E+08
SUR11-1	2.6	SUR09-1	1.53E	SUR07-3	1.34	SUR07-1	3.30E-08	5.01E-02	6.79E+01	1.31E+05	5.91E+08
SUR11-2	2.9	SUR09-2	7.68E	SUR08-1	1.37	SUR07-2	1.13E-07	2.59E+00	4.73E+02	6.47E+05	8.50E+08
SUR11-3	1.2	SUR10-3	4.54E	SUR08-2	8.29	SUR07-3	1.34E-07	7.18E-01	1.21E+02	2.73E+05	5.23E+08
SUR12-1	1.0	SUR11-1	2.65E	SUR09-1	1.53	SUR08-1	1.37E-07	8.94E-03	4.81E+01	1.08E+05	6.09E+08
SUR12-2	2.9	SUR11-2	2.95E	SUR09-2	7.68	SUR08-2	8.29E-08	8.32E-03	8.22E+01	1.93E+05	7.28E+08
SUR13-1	1.1	SUR11-3	1.24E	SUR10-3	4.54	SUR09-1	1.53E-07	3.52E-03	3.90E+01	8.89E+04	5.49E+08
SUR14-1	1.1	SUR12-1	1.01E	SUR11-1	2.65	SUR09-2	7.68E-08	2.05E-03	7.52E+01	1.76E+05	6.34E+08
SUR15-1	1.5	SUR12-2	2.93E	SUR11-2	2.95	SUR10-3	4.54E-08	1.52E+01	3.12E+02	8.28E+05	7.22E+08
SUR16-1	1.9	SUR13-1	1.18E	SUR11-3	1.24	SUR11-1	2.65E-08	3.30E-01	1.17E+02	2.21E+05	7.19E+08
SUR17-1	3.2	SUR14-1	1.10E	SUR12-1	1.01	SUR11-2	2.95E-08	1.31E-02	1.16E+02	2.17E+05	5.61E+08
SUR17-2	1.9	SUR15-1	1.50E	SUR12-2	2.93	SUR11-3	1.24E-07	5.61E+00	2.71E+02	6.29E+05	6.87E+08
		SUR16-1	1.90E	SUR13-1	1.18	SUR12-1	1.01E-07	1.37E-01	8.01E+01	1.66E+05	6,99E+08
		SUR17-1	3.20E	SUR14-1	1.10	SUR12-2	2.93E-08	1.10E-01	1.46E+02	3.10E+05	8.61E+08
		SUR17-2	1.97E	SUR15-1	1.50	SUR13-1	1.18E-07	3.92E-02	6.32E+01	1.40E+05	6.82E+08
				SUR16-1	1.90	SUR14-1	1.10E-07	1.73E-02	5.69E+01	1.28E+05	6.48E+08
				SUR17-1	3.20	SUR15-1	1.50E-05	0.00E+00	3.46E-03	3.39E+01	1.51E+03
			Į	SUR17-2	1.97	SUR16-1	1.90E-05	0.00E+00	2.98E-02	2.40E+02	1.89E+04
						SUR17-1	3.20E-06	0.00E+00	1.62E+01	3.95E+04	7.92E+07
						SUR17-2	1.97E-07	3.87E-05	3.76E+01	9.04E+04	1.89E+08

Review of Past Studies Observations

- A wide variety of output metrics have been reported in past studies
- Output metrics have been reported at a range of distances
- Level of detail of reported metrics dependent upon document hierarchy
- MACCS2 analyses produce conditional consequences for each representative source term/release category
- Results tabulated for use by risk integration team

Summary

- Consistent, structured document format and content facilitates traceability and transparency for both technical review and future use
- Consequence metrics analyzed in past studies have varied but have generally included both individual health impacts, societal health impacts, and measures of economic/property damage
- High level summary reports have generally been supplemented by supporting or supplemental reports with additional metrics and details

Selected References (1/2)

- WASH-1400 (Reactor Safety Study)
- NUREG/CR-2239 (Siting Study)
- NUREG/CR-2723 (Strip Report)
- NUREG-1150 (Severe Accident Risks: An Assessment for Five U.S. Nuclear Power Plants)
- NUREG/CR-4551 Volume 2 Part 7 (Quantification of Major Input Parameters supporting NUREG-1150, MACCS Input)
- NUREG/CR-4551 Volumes 3-7 (Plant-specific detailed reports supporting NUREG-1150)
- NUREG-5305 (Integrated Risk Assessment for the LaSalle Unit 2 Nuclear Power Plant)
- NUREG/CR-6349 (Cost-Benefit Considerations in Regulatory Analysis)
- NUREG-1935 (State of the Art Reactor Consequence Analysis)
- NUREG/CR-7110 Volumes 1 and 2 (Plant-specific detailed reports supporting SOARCA)

Selected References (2/2)

- NUREG/CR-4691 Volume 2 (MACCS Model Description Document)
- NUREG/CR-6613 Volume 1 (MACCS2 Model Description Document)
- NUREG/CR-7009 (Best Practices from State of theArt Reactor Consequence Analyses Study), unpublished draft
- Regulatory Guide 1.174 (An Approach for Using Probabilistic Risk Assessment in Risk-Informed Decisions on Plant-Specific Changes to the Licensing Basis)
- NUREG/BR-0058 (Regulatory Analysis Guidelines)
- NUREG/BR-0184 (Regulatory Analysis Handbook)
- NUREG-1409 (Backfitting Guidelines)
- NUREG-1555 (Environmental Standard Review Plan)

Preliminary Listing of Potential Technical Basis Documents for Offsite Consequence Analyses

(note: NUREG-(nnnn) designates publications prepared by NRC staff; NUREG/CR-(nnnn) designates publications prepared by NRC contractors)

General Applicability

- NUREG-75/014, Appendix VI (Calculation of Reactor Accident Consequences: Appendix VI to Reactor Safety Study), 1975
- NUREG/CR-2300 (PRA Procedures Guide A Guide to the Performance of Probabilistic R isk Assessments for Nuclear Power Plants), 1983
- NUREG/CR-3332 (Radiological Assessment: A Textbook on Environmental Dose Analysis), 1983
- NUREG/CR-4350 Volume 7 (*Probabilistic Risk Assessment Course Documentation Volume 7: Environmental Transport and Consequence Analysis*), 1985
- NUREG/CR-4551 Volume 2 Part 7 (Evaluation of Severe Accident Risks: Quantification of Major Input Parameters), 1990
- NUREG-0340 (Overview of the Reactor Safety Study Consequence Model), 1977
- NUREG/CR-4691 (MELCOR Accident Consequence Code System, 3 volumes), 1990
- NUREG/CR-6613 (Code Manual for MACCS2, 2 volumes), 1997-1998
- NUREG/CR-6042 Rev 2 (Perspectives on Reactor Safety), 2002

<u>RE</u>

- NUREG/CR-4467 (Relative Importance of Individual Elements to Reactor Accident Consequences Assuming Equal Release Fractions), 1986
- NUREG-1465 (Accident Source Terms for Light-Water Nuclear Power Plants), 1995
- NUREG/CR-6119 (MELCOR Computer Code Manuals), 2000-2001
- SAND2008-6664 (Accident Source Terms for Pressurized Water Reactors with High Burnup Cores Calculated using MELCOR 1.8.5), 2008
- ORNL/TM-2005/39 (SCALE: A Modular Code System for Performing Standardized Computer Analyses for Licensing Evaluations – Version 5.1, Volumes I – III), 2006
- MELMACCS Documentation (TBD)

ME/AT

- DOE/TIC-11223 ("Handbook on Atmospheric Diffusion," Hanna, S.R., G.A. Briggs, and R.P. Hosker, Jr,) 1982
- DOE/TIC-27601 ("Plume Rise and Buoyancy Effects," Briggs, G.A.), 1984
- DOE/TIC-27601; DE84005177 ("Atmospheric Science and Power Production, D. Randerson, ed.) 1984
- NUREG/CR-6331 Rev 1(Atmospheric Relative Concentrations in Building Wakes), 1997
- Regulatory Guide 1.23 Rev 1 (Meteorological Monitoring Programs for Nuclear Power Plants)
- Regulatory Guide 1.145 Rev 1 (Atmospheric Dispersion Models for Potential Accident Consequence Assessments at Nuclear Power Plants)
- Atkinson, D. and R.F. Lee, "Procedures for Substituting Values for Missing NWS Meteorological Data for Use in Regulatory Air Quality Models," 1992
- NUREG/CR-4159 (Comparison of the 1981 INEL Dispersion Data with Results from a Number of Different Models), 1985
- NUREG/CR-6853 (Comparison of Average Transport and Dispersion Among a Gaussian, a Two-Dimensional, and a Three-Dimensional Model), 2004

PA/EC

- NUREG/CR-6525 Rev 1 (SECPOP2000: Sector Population, Land Fraction, and Economic Estimation Program), 2003
- NUREG-0396 (Planning Basis For The Development Of State And Local Government Radiological Emergency Response Plans In Support Of Light Water Nuclear Power Plants), 1978
- NUREG-0654/FEMA-REP-1 Rev 1 (Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants.), 1980-2011
- NUREG/CR-6953 (Review of NUREG-0654, Supplement 3, "Criteria for Protective Action Recommendations for Severe Accidents), 2007
- Update to Supplement 3 to NUREG 0654/FEMA-REP-1, Rev. 1, (Criteria for Protective Action Recommendations for Severe Accidents), 2010
- NUREG/CR-4831 (State of the Art in Evacuation Time Estimate Studies for Nuclear Power Plants), 1992
- NUREG/CR-6864 (Identification and Analysis of Factors Affecting Emergency Evacuations), 2005
- NUREG/CR-7002 (Criteria for Development of Evacuation time Estimate Studies), 2011
- EPA-400-R-92-001 (Manual of Protective Action Guides and Protective Actions for Nuclear Incidents),
 1992
- SAND2000-2719/1 (Cassini Spacecraft Uncertainty Analysis Data and Methodology Review and Update Volume 1: Updated Parameter Uncertainty Models for the Consequence Analysis), 2000
- NUREG/CR-2591 (Estimating the Potential Impacts of a Nuclear Reactor Accident), 1982.
- NUREG/CR-3413 (Off-Site Consequence of Radiological Accidents: Methods, Costs and Schedule for Decontamination), 1984
- NUREG/CR-3566 (Socioeconomic Consequences of Nuclear Reactor Accidents), 1984
- NUREG/CR-3673 (Economic Risks of Nuclear Power Reactor Accidents), 1984

DO/HE

- NUREG/CR-6547 (DOSFAC2 User's Guide), 1997
- NUREG/CR-4214 (Health Effects Model for Nuclear Power Plant Accident Consequence Analysis, Parts 1 and 2), 1985
- NUREG/CR-4214, Rev 1, Part 1 (Health Effects Model for Nuclear Power Plant Accident Consequence Analysis. Low LET Radiation. Part 1: Introduction, Integration and Summary), 1990
- NUREG/CR-4214 Rev 1, Part 2 (Health Effects Models for Nuclear Power Plant Accident Consequence Analysis. Low LET Radiation. Part 2. Scientific Bases for Health Effects Models), 1989
- NUREG/CR-4214 Rev 1, Part 2, Addendum 1, LMF-132 (Health Effects Model for Nuclear Power Plant Accident Consequence Analysis, Part2: Scientific Bases for Health Effects Models - Modifications of Models Resulting From Recent Reports on Health Effects of Ionizing Radiation: Low LET Radiation), 1991
- NUREG/CR-4214 Rev 1, Part 2, Addendum 2, LMF-136 (Health Effects Model for Nuclear Power Plant Accident Consequence Analysis, Part2: Scientific Bases for Health Effects Models - Modification of Models Resulting from Addition of Effects of Exposure to Alpha-Emitting Radionuclides), 1992
- NUREG/CR-4214 Rev 2, Part 1 (Health Effects Model for Nuclear Power Plant Accident Consequence Analysis: Part 1: Introduction, Integration, and Summary), 1992
- ICRP 26 (Recommendations of the International Commission on Radiological Protection), 1977
- ICRP 30 (Limits for Intakes of Radionuclides by Workers), 1979
- ICRP 72 (Age-Dependent Dose to the Members of the Public from Intake of Radionuclides Part 5 Compilation of Ingestion and Inhalation Coefficients), 1995
- BEIR V (Health Effects of Exposure to Low Levels of Ionizing Radiation), 1990
- BEIR VII (Health Risks from Exposure to Low Levels of Ionizing Radiation), 2006
- EPA 402-R-93-076 (Estimating Radiogenic Cancer Risk), 1994

- EPA 402-R-99-001 (Federal Guidance Report 13, Cancer Risk Coefficients for Environmental Exposure to Radionuclides), 1999
- EPA 402-C-99-001, CD Supplement, Rev. 1 (Federal Guidance Report 13: Cancer Risk Coefficients for Environmental Exposure to Radionuclides, Updates and Supplements"), 2002
- ORNL/TM-2003/207 (Dosimetric Significance of the ICRP's Updated Guidance and Models, 1989-2003, and Implications for U.S. Federal Guidance), 2003
- K. F. Eckerman, "Review of Risk Coefficients for SOARCA Project", 2009
- K. F. Eckerman, "Radiation Dose and Health Risk Estimation: Technical Basis for the State-of-the-Art Reactor Consequence Analysis Project", 2012

QT/RI

- NUREG-1489 (A Review of NRC Staff Uses of Probabilistic Risk Assessment), 1994
- NUREG-1860 (Feasibility Study for a Risk-Informed and Performance-Based Regulatory Structure for Future Plant Licensing), 2007
- Regulatory Guide 1.174 (An Approach for Using Probabilistic Risk Assessment in Risk-Informed Decisions on Plant-Specific Changes to the Licensing Basis), 2002
- NUREG/BR-0058 (Regulatory Analysis Guidelines), 2004
- NUREG/BR-0184 (Regulatory Analysis Handbook), 1997
- NUREG-1555 (Environmental Standard Review Plan), 1999

Uncertainty Analyis

- NUREG/CR-6135 (Uncertainty and Sensitivity Analysis of Early Exposure Results with the MACCS Reactor Accident Consequence Model), 1995
- NUREG/CR-6134 (Uncertainty and Sensitivity Analysis of Chronic Exposure Results with the MACCS Reactor Accident Consequence Model), 1995
- NUREG/CR-6136 (Uncertainty and Sensitivity Analysis of Food Pathway Results with the MACCS Reactor Accident Consequence Model), 1995
- NUREG/CR-6244 (Probabilistic Accident Consequence Uncertainty Analysis, Dispersion and Deposition Uncertainty Analysis), 1995
- NUREG/CR-6526 (Probabilistic Accident Consequence Uncertainty Analysis, Uncertainty Assessment for Deposited Material and External Doses), 1997
- NUREG/CR-6523 (Probabilistic Accident Consequence Uncertainty Analysis: Food Chain), 1997
- NUREG/CR-6571 (Probabilistic Accident Consequence Uncertainty Analysis, Uncertainty Analysis for Internal Dosimetry), 1998
- NUREG/CR-6545 (Probabilistic Accident Consequence Uncertainty Analysis, Early Health Effects Uncertainty Assessment), 1997
- NUREG/CR-6555 (Probabilistic Accident Consequence Uncertainty Analysis, Uncertainty Analysis for Late Health Effects), 1997
- Gregory, J.J., et al., "Task 5 Letter Report: MACCS2 Uncertainty Analysis of EARLY Exposure Results", 2000
- NUREG/CR-7161 (Evaluation of Distributions Representing Important Non-Site-Specific Parameters in Offsite Consequence Analysis), 2013

Preliminary Listing of Significant Examples of Offsite Consequence Analyses

Reactor Analyses

- NUREG-75/014 (Reactor Safety Study, An Assessment of Accident Risks in U.S. Commercial Nuclear Power Plants (WASH-1400), 1975
- NUREG/CR-2723 (Estimates of the Financial Consequences of Nuclear Power Reactor Accidents), 1982
- NUREG/CR-2239 (Technical Guidance for Siting Criteria Development), 1982
- NUREG-1150 (Severe Accident Risks: An Assessment for Five U.S. Nuclear Power Plants), 1990
- NUREG/CR-4551, Volume 3 (Evaluation of Severe Accident Risks, Surry Unit 1), 1990
- NUREG/CR-4551, Volume 4 (Evaluation of Severe Accident Risks, Peach Bottom, Unit 2), 1990
- NUREG/CR-4551, Volume 5 (Evaluation of Severe Accident Risks, Sequoyah, Unit 1), 1990
- NUREG/CR-4551, Volume 6 (Evaluation of Severe Accident Risks, Grand Gulf, Unit 1), 1990
- NUREG/CR-4551, Volume 7 (Evaluation of Severe Accident Risks, Zion, Unit 1), 1993
- NUREG/CR-5305 (Integrated Risk Assessment For The LaSalle Unit 2 Nuclear Power Plant Phenomenology And Risk Uncertainty Evaluation Program (PRUEP)), 1992
- NUREG/CR-6349 (Cost-Benefit Considerations in Regulatory Analysis), 1995
- NUREG/CR-6295 (Reassessment of Selected Factors Affecting Siting of Nuclear Power Plants), 1997
- NUREG-1935 (State-of-the-Art Reactor Consequence Analyses (SOARCA) Report), 2012
- NUREG/CR-7110 Volume 1 (State-of-the-Art Reactor Consequence Analysis Project: Surry Integrated Analysis), 2012
- NUREG/CR-7110 Volume 2 (State-of-the-Art Reactor Consequence Analysis Project: Peach Bottom Integrated Analysis), 2012

SFP and DCSS Analyses

- NUREG/CR-4982 (Severe Accidents in Spent Fuel Pools in Support of Generic Safety Issue 82), 1987
- NUREG/CR-5281 (Value/Impact Analyses of Accident Preventative and Mitigative Options for Spent Fuel Pools), 1989
- NUREG-1353 (Regulatory Analysis for the Resolution of Generic Issue 82, "Beyond Design Basis Accidents in Spent Fuel Pools"), 1989
- NUREG/CR-6451 (A Safety and Regulatory Assessment of Generic BWR and PWR Permanently Shutdown Nuclear Power Plants), 1997
- NUREG-1738 (Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants), 2001
- NUREG-1864 (A Pilot Probabilistic Risk Assessment of a Dry Cask Storage System at a Nuclear Power Plant), 2007
- NUREG-2161 (Consequence Study Of A Beyond-Design-Basis Earthquake Affecting The Spent Fuel Pool For A U.S. Mark I Boiling Water Reactor) – 2014 (forthcoming)

Aqueous Pathways

- NUREG-0440 (Liquid Pathway Generic Study: Impacts of Accidental Radioactive Releases to the Hydrosphere from Floating and Land-based Nuclear Power Plants.), 1978
- NUREG/CR-1596 (The Consequences From Liquid Pathways After A Reactor Meltdown Accident), 1981

NEPA Applications (examples/partial list)

- NUREG-1437, (Generic Environmental Impact Statement for License Renewal of Nuclear Plants), 1996 (Rev 0), 2013 (Rev 1)
- NUREG-1872 (Final Environmental Impact Statement for an Early Site Permit (ESP) at the Vogtle Electric Generating Plant Site), 2008